

B1
cont'd

N,N-dimethyl-para-phenylenediamine, N,N-diethyl-para-phenylenediamine, N,N-dipropyl-para-phenylenediamine, 4-amino-N,N-diethyl-3-methylaniline, N,N-bis(β -hydroxyethyl)-para-phenylenediamine, 4-N,N-bis(β -hydroxyethyl)amino-2-methylaniline, 4-N,N-bis(β -hydroxyethyl)amino-2-chloroaniline, 2-b-hydroxyethyl-para-phenylenediamine, 2-fluoro-para-phenylenediamine, 2-isopropyl-paraphenylenediamine, N-(β -hydroxypropyl)-para-phenylenediamine, 2-hydroxymethyl-paraphenylenediamine, N,N-dimethyl-3-methyl-para-phenylenediamine, N-ethyl-N-(β -hydroxyethyl)-para-phenylenediamine, N-(β,γ -dihydroxypropyl)-para-phenylenediamine, N-(4'-aminophenyl)-para-phenylenediamine, N-phenyl-para-phenylenediamine, 2-b-hydroxyethyloxy-para-phenylenediamine, 2-b-acetylaminoethyloxy-para-phenylenediamine, N-(β -methoxyethyl)-para-phenylenediamine, and addition salts thereof with an acid.

B2

39. A composition according to Claim 37, wherein said double base of formula (IV) is chosen from N,N'-bis(β -hydroxyethyl)-N,N'-bis(4'-aminophenyl)-1,3-diaminopropanol, N,N'-bis(β -hydroxyethyl)-N,N'-bis(4'-aminophenyl)ethylenediamine, N,N'-bis(4'-aminophenyl)tetramethylenediamine, N,N'-bis(β -hydroxyethyl)-N,N'-bis(4'-aminophenyl)tetramethylenediamine, N,N'-bis(4-methylaminophenyl)tetramethylenediamine, N,N'-bis(ethyl)-N,N'-bis(4'-amino-3'-methylphenyl)ethylenediamine, 1,8-bis(2,5-diaminophenoxy)-3,5-dioxaoctane, and an addition salt thereof with an acid.

B3

41. A composition according to Claim 40, wherein said para-aminophenol of formula (V) is chosen from para-aminophenol, 4-amino-3-methylphenol, 4-amino-3-fluorophenol,